

RPM Roofing Product Catalog

2008



RPM Roofing Product Line

Simulated Slate
Simulated Cedar Shake
Simulated Mission Tile

Slate – Class A

RPM Slate is manufactured from recycled plastic and is developed from actual castings of natural slate to provide an amazing natural appearance with three emboss patterns. Authentic beauty, performance and classic style allows for a roofline with a lasting impression.

Advantages

Features	Benefits
Authentic design	Architecturally enhanced roofline; optional staggered application
Class A Fire Rating	Added protection; May reduce insurance premium
Lightweight	No additional substructure required to install
Easy installation <ul style="list-style-type: none"> • No breakage • No special tools required • Cuts and nails with ease • Able to walk on roof 	Installation cost savings
50 Year Limited Warranty	Investment protection

Colors

Red Slate Cavity Back – Class A	12011A
Brown Slate Cavity Back – Class A	12021A
Green Slate Cavity Back – Class A	12041A
Black Slate Cavity Back – Class A	12061A
Gray Slate Cavity Back – Class A	12071A
Charcoal Slate Cavity Back – Class A	12091A

Specifications

Exposure	7.5"	6.5"
Weight/Piece (lb.)	1.8 ± 0.2	1.8 ± 0.2
Pieces/Square	152	175
Lb./Square	274	315
Height	18" ± 1/8"	18" ± 1/8"
Width	12 1/8" ± 1/8"	12 1/8" ± 1/8"
Pieces/Bundle	10	10
Pieces/Pallet	1200	1200
Lb./Pallet	2200 approx	2200 approx
Bundles/Square	15.2	15.2
Squares/Pallet	7.8	6.8
Pallets/Truck	24*	24*
Squares/Truck	189.4*	164.4*

* May vary depending on size and weight capacity of truck

- Cavity back profile
- Made from recycled plastic
- Uniform color throughout



Front View



Back View

Accessories

Accessory	Dimensions	Coverage 7.5" exposure	Coverage 6.5" exposure	Pitch	Weight	Pcs per bundle	Pcs per pallet	Lb. per pallet
Starter	10.5" Length 12 1/8" ± 1/8" Width	1 bundle = 10 ft. of eave	1 bundle = 10 ft. of eave		1.1 lb.	10	1800	2028
Hip & Ridge	16" Length 6" x 5-5/8" Width	1 bundle = 6.25 ft.	1 bundle = 5.42 ft.	5/12 to 7/12	2 lb.	10	480	1000
Solid Tile Accessory	18" ± 1/8" Length 12 1/8" ± 1/8" Width	1 bundle = 6.25 ft. of rake	1 bundle = 5.42 ft. of rake		2 lb.	10	960	1968

Starter Part Numbers


Red Slate Starter – Class A	12015A
Brown Slate Starter – Class A	12025A
Green Slate Starter – Class A	12045A
Black Slate Starter – Class A	12065A
Gray Slate Starter – Class A	12075A
Charcoal Slate Starter – Class A	12095A



Starter

Hip & Ridge Part Numbers

Red Slate Hip & Ridge – Class A	12013A
Brown Slate Hip & Ridge – Class A	12023A
Green Slate Hip & Ridge – Class A	12043A
Black Slate Hip & Ridge – Class A	12063A
Gray Slate Hip & Ridge – Class A	12073A
Charcoal Slate Hip & Ridge – Class A	12093A



Hip & Ridge

Solid Tile Accessory Part Numbers

Red Slate Solid Tile Accessory – Class A	12010A
Brown Slate Solid Tile Accessory – Class A	12020A
Green Slate Solid Tile Accessory – Class A	12040A
Black Slate Solid Tile Accessory – Class A	12060A
Gray Slate Solid Tile Accessory – Class A	12070A
Charcoal Slate Solid Tile Accessory – Class A	12090A



Front View



Back View

Installation

- **Lightweight**
 - No structural modifications necessary
- **Cold Weather Application**
 - Can be installed in cold weather climates above 20° F
- **Pneumatic gun nailable**
 - No counter sink drivers
- **No breakage**
 - Reduction of material & labor cost and waste
 - Can walk on roof during and after installation

Slate – Class C

RPM Slate is manufactured from recycled plastic and is developed from actual castings of natural slate to provide an amazing natural appearance with three emboss patterns. Our Class C simulated slate offers a more economical and lighter weight solution for those not requiring a Class A fire resistant roof covering. Authentic beauty, performance and classic style allows for a roofline with a lasting impression.

Advantages

Features	Benefits
Authentic design	Architecturally enhanced roofline; optional staggered application
Class C Fire Rating	Added protection; May reduce insurance premium
Lightweight	No additional substructure required to install
Easy installation <ul style="list-style-type: none"> • No breakage • No special tools required • Cuts and nails with ease • Able to walk on roof 	Installation cost savings
50 Year Limited Warranty	Investment protection

Colors

Red Slate Cavity Back – Class C	12011C
Brown Slate Cavity Back – Class C	12021C
Green Slate Cavity Back – Class C	12041C
Black Slate Cavity Back – Class C	12061C
Gray Slate Cavity Back – Class C	12071C
Charcoal Slate Cavity Back – Class C	12091C

Specifications

Exposure	7.5"	6.5"
Weight/Piece (lb.)	1.6 ± 0.2	1.6 ± 0.2
Pieces/Square	152	175
Lb./Square	244	280
Height	18" ± 1/8"	18" ± 1/8"
Width	12 1/8" ± 1/8"	12 1/8" ± 1/8"
Pieces/Bundle	10	10
Pieces/Pallet	1200	1200
Lb./Pallet	2000 approx	2000 approx
Bundles/Square	15.2	15.2
Squares/Pallet	7.8	6.8
Pallets/Truck	24*	24*
Squares/Truck	189.4*	164.4*

* May vary depending on size and weight capacity of truck

- Cavity back
- Made from recycled plastic
- Uniform color throughout



Front View



Back View

Accessories

Accessory	Dimensions	Coverage	Coverage	Pitch	Weight	Pcs per bundle	Pcs per pallet	Lb. per pallet
		7.5" exposure	6.5" exposure					
Starter	10.5" Length 12 1/8" ± 1/8" Width	1 bundle = 10 ft. of eave	1 bundle = 10 ft. of eave		1.1 lb.	10	1800	2028
Hip & Ridge	16" Length 6" x 5-5/8" Width	1 bundle = 6.25 ft.	1 bundle = 5.42 ft.	5/12 to 7/12	2 lb.	10	480	1000
Solid Tile Accessory	18" ± 1/8" Length 12 1/8" ± 1/8" Width	1 bundle = 6.25 ft of rake	1 bundle = 5.42 ft of rake		2 lb.	10	960	1968

Starter Part Numbers

Red Slate Starter – Class C	12015C
Brown Slate Starter – Class C	12025C
Green Slate Starter – Class C	12045C
Black Slate Starter – Class C	12065C
Gray Slate Starter – Class C	12075C
Charcoal Slate Starter – Class C	12095C



Starter

Hip & Ridge Part Numbers

Red Slate Hip & Ridge – Class C	12013C
Brown Slate Hip & Ridge – Class C	12023C
Green Slate Hip & Ridge – Class C	12043C
Black Slate Hip & Ridge – Class C	12063C
Gray Slate Hip & Ridge – Class C	12073C
Charcoal Slate Hip & Ridge – Class C	12093C



Hip & Ridge

Solid Tile Accessory Part Numbers

Red Slate Solid Tile Accessory – Class C	12010C
Brown Slate Solid Tile Accessory – Class C	12020C
Green Slate Solid Tile Accessory – Class C	12040C
Black Slate Solid Tile Accessory – Class C	12060C
Gray Slate Solid Tile Accessory – Class C	12070C
Charcoal Slate Solid Tile Accessory – Class C	12090C



Front View



Back View

Installation

- **Lightweight**
 - No structural modifications necessary
- **Cold Weather Application**
 - Can be installed in cold weather climates above 20° F
- **Pneumatic gun available**
 - No counter sink drivers
- **No breakage**
 - Reduction of material & labor cost and waste
 - Can walk on roof during and after installation

Cedar Shake – Class A

RPM Cedar Shake is manufactured from recycled plastic and is developed from actual castings of natural cedar shake to provide an amazing natural appearance with three emboss patterns. Authentic beauty, performance and classic style allows for a roofline with a lasting impression.

Advantages

Features	Benefits
Authentic design	Architecturally enhanced roofline
Class A Fire Rating	Added protection; May reduce insurance premium
Lightweight	No additional substructure required to install
Easy installation <ul style="list-style-type: none"> • No breakage • No special tools required • Cuts and nails with ease • Able to walk on roof 	Installation cost savings
50 Year Limited Warranty	Investment protection

Colors

Brown Cedar Shake 12" – Class A	12221A
Brown Cedar Shake 5" – Class A	12225A
Brown Cedar Shake 7" – Class A	12227A
Weathered Gray Cedar Shake 12" – Class A	12231A
Weathered Gray Cedar Shake 5" – Class A	12235A
Weathered Gray Cedar Shake 7" – Class A	12237A
Charcoal Cedar Shake 12" – Class A	12291A
Charcoal Cedar Shake 5" – Class A	12295A
Charcoal Cedar Shake 7" – Class A	12297A

Specifications

Exposure	10"
Weight/Piece (lb.)	1.9 ± 0.2 average
Pieces/Square	169
	57 (5"); 56 (7"); 56 (12")
Lb./Square	322
Height	23" ± 1/8"
Width	5" ± 1/8"; 7" ± 1/8"; 12" ± 1/8"
Pieces/Bundle	15 (5 of each size)
Pieces/Pallet	900
Lb./Pallet	1900 approx
Bundles/Square	11.27
Squares/Pallet	5.33
Pallets/Truck	24*
Squares/Truck	127*

* May vary depending on size and weight capacity of truck

- Cavity back profile
- Made from recycled plastic
- Uniform color throughout



Front View



Back View

Accessories

Accessory	Dimensions	Coverage 10" exposure	Pitch	Weight	Pcs per bundle	Pcs per pallet	Lb. per pallet
Starter	14" Length 16" Width	1 bundle = 13.3 ft. of eave		2 lb.	10	780	1600
Hip & Ridge	14" Length 6" x 5-3/8" Width	1 bundle = 8.33 ft.	5/12 to 7/12	2 lb.	10	240	500
Solid Shingle Accessory	23" ± 1/8" Length 12" ± 1/8" Width	1 bundle = 8.33 ft of rake		4.5 lb.	10	480	2200

Starter Part Numbers

- Brown Shake Starter – Class A 12220A
- Weathered Gray Shake Starter – Class A 12230A
- Charcoal Shake Starter – Class A 12290A



Starter

Hip & Ridge Part Numbers

- Brown Shake Ridge – Class A 12222A
- Weathered Gray Ridge – Class A 12232A
- Charcoal Shake Ridge – Class A 12292A



Hip & Ridge

Solid Shingle Accessory Part Numbers

- Brown Solid Shingle Accessory – Class A 12223A
- Weathered Gray Solid Shingle Accessory – Class A 12233A
- Charcoal Solid Shingle Accessory – Class A 12293A



Front View



Back View

Installation

- **Lightweight**
 - No structural modifications necessary
- **Cold Weather Application**
 - Can be installed in cold weather climates above 20° F
- **Pneumatic gun nailable**
 - No counter sink drivers
- **No breakage**
 - Reduction of material & labor cost and waste
 - Can walk on roof during and after installation

Cedar Shake – Class C

RPM Cedar Shake is manufactured from recycled plastic and is developed from actual castings of natural cedar shake to provide an amazing natural appearance with three emboss patterns. Our Class C simulated cedar shake offers a more economical and lighter weight solution for those not requiring a Class A fire resistant roof covering. Authentic beauty, performance and classic style allows for a roofline with a lasting impression.

Advantages

Features	Benefits
Authentic design	Architecturally enhanced roofline
Class C Fire Rating	Added protection; May reduce insurance premium
Lightweight	No additional substructure required to install
Easy installation <ul style="list-style-type: none"> • No breakage • No special tools required • Cuts and nails with ease • Able to walk on roof 	Installation cost savings
50 Year Limited Warranty	Investment protection

Colors

Brown Cedar Shake 12" – Class C	12221C
Brown Cedar Shake 5" – Class C	12225C
Brown Cedar Shake 7" – Class C	12227C
Weathered Gray Cedar Shake 12" – Class C	12231C
Weathered Gray Cedar Shake 5" – Class C	12235C
Weathered Gray Cedar Shake 7" – Class C	12237C
Charcoal Cedar Shake 12" – Class C	12291C
Charcoal Cedar Shake 5" – Class C	12295C
Charcoal Cedar Shake 7" – Class C	12297C

Specifications

Exposure	10"
Weight/Piece (lb.)	1.8 ± 0.2 average
Pieces/Square	169 57 (5"); 56 (7"); 56 (12")
Lb./Square	304
Height	23" ± 1/8"
Width	5"± 1/8"; 7"± 1/8"; 12"± 1/8"
Pieces/Bundle	15 (5 of each size)
Pieces/Pallet	900
Lb./Pallet	1900 approx
Bundles/Square	11.27
Squares/Pallet	5.33
Pallets/Truck	24*
Squares/Truck	127*

* May vary depending on size and weight capacity of truck

- Cavity back profile
- Made from recycled plastic
- Uniform color throughout



Front View



Back View

Accessory	Dimensions	Coverage 10" exposure	Pitch	Weight	Pcs per bundle	Pcs per pallet	Lb. per pallet
Starter	14" Length 16" Width	1 bundle = 13.3 ft. of eave		2 lb.	10	780	1600
Hip & Ridge	14" Length 6" x 5-3/8" Width	1 bundle = 8.33 ft.	5/12 to 7/12	2 lb.	10	240	500
Solid Shingle Accessory	23" ± 1/8" Length 12"± 1/8" Width	1 bundle = 8.33 ft of rake		4.5 lb.	10	480	2200

Starter Part Numbers

Brown Shake Starter – Class C	12220C
Weathered Gray Shake Starter – Class C	12230C
Charcoal Shake Starter – Class C	12290C



Starter

Hip & Ridge Part Numbers

Brown Shake Ridge – Class C	12222C
Weathered Gray Ridge – Class C	12232C
Charcoal Shake Ridge – Class C	12292C



Hip & Ridge

Solid Shingle Accessory Part Numbers

Brown Solid Shingle Accessory – Class C	12223C
Weathered Gray Solid Shingle Accessory – Class C	12233C
Charcoal Solid Shingle Accessory – Class C	12293C



Front View



Back View

Installation

- **Lightweight**
 - No structural modifications necessary
- **Cold Weather Application**
 - Can be installed in cold weather climates above 20° F
- **Pneumatic gun nailable**
 - No counter sink drivers
- **No breakage**
 - Reduction of material & labor cost and waste
 - Can walk on roof during and after installation

MISSION TILE (SPANISH TILE)

RPM Mission Tile is manufactured from recycled plastic and rubber and is developed from actual castings of natural clay barrel tile to provide an amazing natural appearance. Authentic beauty, performance and classic style allows for a roofline with a lasting impression.

Advantages

FEATURES	BENEFITS
Authentic design	Architecturally enhanced roofline
Class C Fire Rating	Added protection; May reduce insurance premium
Lightweight	No additional substructure required to install
Easy installation <ul style="list-style-type: none"> • No breakage • No special tools required • Cuts and nails with ease • Able to walk on roof 	Installation cost savings
50 Year Limited Warranty	Investment protection with Transferrable Warranty

Colors

COLOR CODE

Mission Terra Cotta Tile	12110
Mission Brown Tile	12120
Mission Black Tile	12160
Custom Colors Available. 15% Surcharge.	

Specifications

Exposure	13.5"
Weight/Piece (lb.)	2.5 ± 0.2
Pieces/Square	90
Lb./Square	225
Height	16.5"
Width	13"
Pieces/Bundle	N/A
Pieces/Pallet	496
Lb./Pallet	1250 approx
Bundles/Square	N/A
Squares/Pallet	5.5
Pallets/Truck	24*
Squares/Truck	132*

* May vary depending on size and weight capacity of truck

- Made from recycled plastic and rubber
- Uniform color throughout



Front View



Back View

MISSION / SPANISH SYNTHETIC TILE ACCESSORIES

Accessories

Accessory	Dimensions	Coverage 13.5" exposure	Weight	Pcs per bundle	Pcs per pallet	Lb. per pallet
Eave Starter	11 3/4" Length 3" Width	1 bundle = 9.8 ft. of eave	0.8 lb.	10	2100	1730
Ridge Closure	11 3/4" Length 4 1/2" Width	1 bundle = 9.8 ft. of eave	0.8 lb.	10	2100	1730
Bull Nose/ Hip Starter	17 1/2" Length 7 3/4" x 8 3/4" Width		3.5 lb.	5	50	225
Hip Ridge	17 1/2" Length 8 1/4" x 9" Width	1 bundle = 5.625 ft. of hip	3.5 lb.	5	140	535
Top Ridge	17" Length 10" x 10-3/8" Width	1 bundle = 5.625 ft.	4.5 lb.	5	105	525
Rake Edge	16" Length 5 1/2" x 6 1/2" Width	1 bundle = 11.25 ft. of rake	2.3 lb.	10	420	1000

Eave Starter Part Numbers

Terra Cotta Eave Starter	12113
Brown Eave Starter	12123
Black Eave Starter	12163

Ridge Closure Part Numbers

Terra Cotta Ridge Closure	12114
Brown Eave Ridge Closure	12124
Black Eave Ridge Closure	12164

Bull Nose/Hip Starter Part Numbers

Terra Cotta Hip Starter	12115
Brown Eave Hip Starter	12125
Black Eave Hip Starter	12165

Hip Ridge Part Numbers

Terra Cotta Hip Ridge	12112
Brown Eave Hip Ridge	12122
Black Eave Hip Ridge	12162

Top Ridge Part Numbers

Terra Cotta Top Ridge	12116
Brown Eave Top Ridge	12126
Black Eave Top Ridge	12166

Rake Edge Part Number


Terra Cotta Rake Edge	12111
Brown Eave Rake Edge	12121
Black Eave Rake Edge	12161




Starter (location "A")



Ridge Closure (B)




Bull Nose & Hip Starter (C)



Hip Ridge (D)



Top Ridge (E)




Rake Edge (F)

MISSION / SPANISH SYNTHETIC TILE LOCATION KEY

Installation

- **Lightweight**
 - No structural modifications necessary
- **Cold Weather Application**
 - Can be installed in cold weather climates above 20° F
- **Pneumatic gun nailable**
 - No counter sink drivers
- **No breakage**
 - Reduction of material & labor cost and waste
 - Can walk on roof during and after installation



A. - Starters
 B. - Closures
 C. - Bull nose
 D. - Hip ridge
 E. - Top ridge
 F. - Rake edge